

## 檸檬病蟲害防治用藥摘要表

陳明昭、黃德昌整理(101.04.23)

防治對象	防治方法				
	防治農藥				備註
	使用防治資材	稀釋 倍數 (倍)	參考 安全採 收天數	殘留容許量 (ppm)	
黑星病	80% 免得爛水分散性 粒劑	500	25	2.0	
	80% 鋅錳乃浦可濕性 粉劑	500	40	2.0	
	70% 甲基鋅乃浦可濕 性粉劑	500		2.0	
	50% 免賴得可濕性粉 劑	3000	18	3.0	
	75% 四氯異苯腈可濕 性粉劑	500		3.0	
	75% 四氯異苯腈水分 散性粒劑	500		3.0	
	70% 腈硫醃水分散性 粒劑	1000	30	2.0	
	70% 腈硫醃可濕性粉 劑	1000	30	2.0	
	50% 免賴得可濕性粉 劑+礦物油	4000 混合 200		3.0	冬季防治,可兼 防各種真菌病 害。
	80% 鋅錳乃浦可濕性 粉劑+礦物油	650 混合 200	40	2.0	冬季防治
瘡痂病	23% 亞托敏水懸劑	3000	6		兼防其他真菌 性病害
	15% 易胺座可濕性粉 劑	3000	6	0.5	兼防其他真菌 性病害及葉蟎
	39.5% 扶吉胺水懸劑	2000	10	0.2	
	50% 免賴得可濕性粉 劑	3000	18	3.0	廣效性殺菌劑
	40% 快得寧可濕性粉 劑	500		2.0	
	50% 甲基多保淨可濕 性粉劑	1000		3.0	

	70% 腈硫醌水分散性粒劑	1000	30	2.0	
	70% 腈硫醌可濕性粉劑	1000	30	2.0	
潰瘍病	10% 維利黴素溶液	800			
	72% 波爾多可濕性粉劑	500	6		
	56% 氧化亞銅可濕性粉劑	600			
	81.3% 嘉賜銅可濕性粉劑	1000			
	61.4% 氫氧化銅水分散粒劑	500			
黑點病	50% 三氟敏水分散粒劑	10000	14		兼防其他真菌性病害
	56 貝芬硫醌可濕性粉劑	800	30	貝芬替 2.0ppm 腈硫醌 2.0ppm	
	22.7% 腈硫醌水懸劑	1000	30	2.0	
	80% 鋅錳乃浦可濕性粉劑	500	40	2.0	
	33% 鋅錳乃浦水懸劑	500	40	2.0	
	40% 腐絕可濕性粉劑	500	4		
	40% 腐絕可濕性粉劑	500	4		可在果實包裝前，浸漬藥液 3 分鐘，藥液內加 0.5% 明礬，以增加藥效。
寄生性線蟲	25% 克熱淨溶液	2000	4		
	40% 芬滅松乳劑	2000		0.1	
	25% 幾丁質粒劑				
	10% 普伏松粒劑			0.02	
	30% 滅線蟲粒劑			0.5	
	10% 芬滅松粒劑			0.1	
	5% 丁基加保扶粒劑			2.0	
10% 托福松粒劑			0.01		
金柑疫病	27.12% 三元硫酸銅水懸劑	800	6		兼防其他真菌性病害
	80% 福賽得可濕性粉劑	200	6		

	76.5%銅滅達樂可濕性粉劑	1000	9	0.5	
	53%鋅錳右滅達樂水分散性粒劑	500	21	0.5	
	58%鋅錳滅達樂可濕性粉劑	500	21	0.5	
有殼介殼蟲類(黑點介殼蟲、褐圓介殼蟲、黃點介殼蟲等)	33%納得護賽寧可濕性粉劑	1200	9	納乃得 1ppm 護賽寧 1ppm	
	31.6%丁基加保扶乳劑	400	21	2.0	
	50%馬拉松乳劑 混合	800 混合	14	2.0	
	95%礦物油乳劑	95			
	50%馬拉松乳劑	800	14	2.0	
	44%大滅松乳劑	1000	21	2.0	
	20%大滅松乳劑	450	21	2.0	
	20%布芬三亞蟎乳劑	1000	18	布芬淨 0.5ppm 三亞蟎 0.2ppm	
無殼介殼蟲類(綠介殼蟲、半圓堅介殼蟲等)	95%礦物油乳劑	95			
	50%馬拉松乳劑	800+95	14	2.0	
	44%大滅松乳劑	1000	21	2.0	
	50%滅大松乳劑	1200	18	1.0	可用於 101 年 12 月 31 日止
	20%大滅松乳劑	450	21	2.0	
粉介殼蟲類(球粉介殼蟲、桔粉介殼蟲、白粉介殼蟲等)	50%加福松乳劑	1000	15	1.0	
	50%馬拉松乳劑	800	14	2.0	
	44%大滅松乳劑	450	21	2.0	
蚜蟲類(捲葉蚜、大桔蚜等)	20%免扶克乳劑	800	20	1.0	
	44%大滅松乳劑	1000	21	2.0	
	25%硫滅松乳劑	1000	18	1.0	
	25%滅賜松乳劑	1000	14	0.5	
	50%馬拉松乳劑	800	14	2.0	
	40.6 加保扶水懸劑	1200	7	2.0	
	40%丁基加保扶可濕	1200	20	2.0	

	性粉劑				
	20%大滅松乳劑	450	21	2.0	
柑桔木 蝨、刺粉 蝨	50%馬拉松乳劑	800		2.0	
	44%大滅松乳劑	1000	21	2.0	
	40.6%加保扶水懸劑	1200	7	2.0	
	50%陶滅蝨可濕性粉劑	1000	21	陶斯松 1.0ppm 滅必蝨 2.0ppm	
	20%大滅松乳劑	450	21	2.0	
潛葉蛾	25%芬諾克可濕性粉劑	2000	12	1.0	
	50%陶斯松可濕性粉劑	1500	7	1.0	
	25%佈飛賽滅寧乳劑	1000	21	佈飛松 1.0ppm 賽滅寧 1.0ppm	
	30%福隆納乃得水懸劑	1500	20	二福隆 1.0ppm 納乃得 1.0ppm	
	1%賽洛寧可濕性粉劑	1600	14	1.0	
	40%免扶克水懸劑	1200	20	1.0	
	2.8%畢芬寧乳劑	1000	20	1.0	
	2.5%畢芬寧水懸劑	1000	20	1.0	
	40%益滅賽寧可濕性粉劑	2500	12	益滅松 1.0ppm 賽洛寧 1.0ppm	
	13.5%納得亞滅寧乳劑	1000	6	納乃得 1.0ppm 亞滅寧	
	5%護賽寧溶液	1500	9	1.0	
	2.5%賽洛寧微乳劑	4000	14	1.0	
	2.46%賽洛寧膠囊懸著液	4000	14	1.0	
	2.8%賽洛寧乳劑	4000	14	1.0	
	25%陶斯寧乳劑	1000	14	陶斯松 1.0ppm	

				賽滅寧 2ppm	
	50%馬拉松乳劑	800	14	2.0	
	44%大滅松乳劑	1000	21	2.0	
	25%硫滅松乳劑	500	18	1.0	
	25%滅賜松乳劑	1000	14	0.5	
	50%益滅松可濕性粉劑	500	18	1.0	
	50%培丹水溶性粉劑	1000	14	3.0	
	40%納乃得水溶性粒劑	1500	20	1.0	
	40%納乃得水溶性粉劑	1500	20	1.0	
	25%納乃得水溶性粉劑	900	20	1.0	
	10%毆殺滅溶液	350	7	0.5	兼防銹蟎
	24%納乃得溶液	750	20	1.0	
葉蟎(柑 桔紅蜘蛛)	30%賜派芬水懸劑	5000	6	0.5	
	10%得芬瑞可濕性粉劑	3000	9	0.5	
	99%礦物油乳劑	500			
	10%依殺蟎水懸劑	4000	6	0.2	
	1%密滅汀乳劑	1500	6	0.2	
	13%芬普毆蟎多水基乳劑	1000	15	芬普寧 0.5ppm 毆蟎多 5.0ppm	
	4%畢汰芬水懸劑	3000	25	0.5	
	45%達馬芬普寧乳劑	1500	15	達馬松 0.5ppm 芬普寧 0.5ppm	
	39.5%扶吉胺水懸劑	2000	10	0.2	
	10%芬殺蟎乳劑	1600	21	0.5	
	2.8%畢芬寧乳劑	750	10	1.0	
	2.5%畢芬寧水懸劑	750	10	1.0	兼防薊馬類
	45%佈賜芬蟎水懸劑	2500	15	芬佈賜 2.0ppm 芬殺蟎 0.5ppm	
	5%芬普蟎水懸劑	2000	15	2.0	
	20%畢達本可濕性粉	3000	6	2.0	

	劑				
	5%合賽多乳劑	2000	9	1.0	
	7.5%合賽芬普寧乳劑	1500	21	合賽多 1.0ppm 芬普寧 0.5ppm	
	35%芬硫克乳劑	1500	30	1.0	
	10%合賽多可濕性粉劑	4000	20	1.0	
	50%芬佈賜可濕性粉劑	2000	60	2.0	
	35%大克蟎乳劑	800	30	1.0	
	42%大克蟎乳劑	900	30	1.0	
	35%大克蟎可濕性粉劑	750	30	1.0	
	10%芬普寧乳劑	1500	10	0.5	兼防蛾類害蟲
	46.5%愛殺松乳劑	800	21	3.0	
	46.5%愛殺松水基乳劑	800	21	3.0	
	20%三亞蟎乳劑	1000	30	0.2	
	25%新殺蟎乳劑	500	30	3.0	
	25%蟎離丹可濕性粉劑	500	30	0.5	
	57%毆蟎多乳劑	1500	30	5.0	
	57%毆蟎多水基乳劑	1500	30	5.0	
	30%毆蟎多可濕性粉劑	1000	30	5.0	
	42%克芬蟎水懸劑	3000	30	2.0	
	18.5%大克蟎乳劑	400	30	1.0	
	18.5%大克蟎可濕性粉劑	400	30	1.0	
銹蟬(柑 桔銹蟎、 銹蟬)	5%芬普蟎水懸劑	1000	21	2.0	
	50%新殺福化利乳劑	2000	21	新殺蟎 3.0ppm 福化利 1.0ppm	
	50%汰芬隆可濕性粉劑	1000	15	1.0	
	30%福隆納乃得水懸劑	1000	20	二福隆 1.0ppm 納乃得	

				1.0ppm	
	20%畢達本可濕性粉劑	3000	6	2.0	
	50%加福松乳劑	1500	15	1.0	
	2%阿巴汀乳劑	2000	6	3.0	兼防蛾類、粉蟲
	25%新殺蟎乳劑	1000	21	3.0	
	25%丁基加保扶可濕性粉劑	1000	12	2.0	
	50%芬佈賜水懸劑	2000	60	2.0	
	80%可濕性硫黃水分散性粒劑	85			
	95%可濕性硫黃可濕性粉劑	100			
	10%毆殺滅溶液	350	7	0.5	兼防潛葉蛾
	42%克芬蟎水懸劑	3000	30	2.0	
	50%佈嘉信乳劑	1000	30	0.1	
	75%可濕性硫黃可濕性粉劑	80			
	80%可濕性硫黃可濕性粉劑	85			
	90%可濕性硫黃可濕性粉劑	85			
	95%可濕性硫黃可濕性粉劑	100			
椿象類 (角肩椿象、南方綠椿象)	44%大滅松乳劑	1000	21	2.0	
	20%大滅松乳劑	450	21	2.0	
	85%加保利可濕性粉劑	850	18	2.0	
	50%加保利可濕性粉劑	500	18	2.0	
星天牛	40.64% 加保扶水懸劑	100	10	2.0	
柑桔茶黃薊馬	48.34% 丁基加保扶乳劑	1000	21	2.0	
東方果實蠅	20%芬化利乳劑	2000	9	2.0	
	50%芬殺松乳劑	1000	21	0.1	200倍為加蛋白質水解物，點噴或局部噴灑，不可噴施於植株上
		200			
	95%三氯松水溶性粉劑	720		0.5	加蛋白質水解物，點噴或局部

					噴灑，不可噴施於植株上
--	--	--	--	--	-------------

※ 最新用藥於 101 年 4 月 13 日修訂